


REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



PART #	QTY	DESCRIPTION
-16	1	CRS PLATE 12 x 12-1/8 x 1/2

USED ON MODEL
414-100
CH-47D

DRAWN BY: PERRITT
APPROVED
HEAT TREAT
FINISH SPEC
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
TOLERANCES ON:
DECIMALS .XXX ± .005 FRACTIONS ± 1/32
.XX ± .01 ANGLES ± 5°
.X ± .1
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES 015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING

RB RED BARN MACHINE
TITLE
UP COV/RING GR SLING
DWG NO.
145G0263
SCALE
NTS
DATE
12-28-05
SHEET
1 of 1

NOT APPROVED FOR PRODUCTION

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED

PART #	QTY	DESCRIPTION
-1	1	41L40 Ø5/8 x 3/4

USED ON MODEL
?

DRAWN BY: PERRITT
APPROVED
HEAT TREAT
FINISH SPEC
BLACK OXIDE
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
TOLERANCES ON:
DECIMALS
.XXX ± .005 FRACTIONS ± 1/32
.XX ± .01 ANGLES ± 5°
.X ± .1
UNLESS OTHERWISE SPECIFIED
1. BREAK ALL SHARP EDGES
.015 x 45° PR .015 R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING

RB RED BARN MACHINE	
TITLE	
DWG NO.	PART #
SCALE NTS	DATE 9-15-03 SHEET 1 of 1

NOT APPROVED FOR PRODUCTION

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED

PART #	QTY	DESCRIPTION
-1	1	4140 3/16 x 1 1/2 x 4

USED ON MODEL ? 	DRAWN BY: PERRITT	RB RED BARN MACHINE	
	CHECKED	TITLE	
	HEAT TREAT FINISH SPEC	TITLE	
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1	TITLE	
	UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	TITLE	
SCALE NTS		DATE 9-15-03	SHEET 1 of 1